

REPUBLIC OF THE PHILIPPINES OFFICE OF THE PRESIDENT Cagayan Economic Zone Authority

REQUEST FOR QUOTATION

The Cagayan Economic Zone Authority (CEZA), will undertake a Small Value Procurement for the "Repair and Maintenance of CSEZFP Archway", in accordance with Section 53.9 of Implementing Rules and Regulations of Republic Act No. 9184.

Name of Project	Repair and Maintenance of CSEZFP Archway
Approved Budget	Three Hundred Eighteen Thousand Three Hundred Fifty-One Pesos and
for the Contract	Sixty Cents
	(PHP 318,351.60)
Specifications	See attached Technical Specifications (Annex B)
Location	Boundary Archway, Sta. Ana, Cagayan
Delivery Term	Eight (8) days from the receipt of Notice to Proceed (NTP) or
	Acceptance of Purchase/Job Order

Interested suppliers are required to submit their valid and current Mayor's/Business Permit, PhilGEPS Registration Number, Omnibus Sworn Statement, Authority of Signatory (Secretary Certificate) if applicable, price quotation form (Annex A) and Technical Specification compliance (Annex B) during submission of offer/quotation.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s.

Submission of quotation and eligibility documents is on or before 10:00 AM of April 12, 2022 at the Cagayan Economic Zone Authority, 10th Floor Greenfield Tower, Mayflower cor. Williams Sts., Greenfield District, Highway Hills, Mandaluyong City, Metro Manila. Open submission may be submitted, manually or through facsimile at 8291-6704 to 8 local 362 or email @ bacsecretariat@ceza.gov.ph.

For inquiry, you may contact us at tel. no 8291-6704 to 8 and email bacsecretariat@ceza.gov.ph.

Very truly yours,

DHART E. CARPIO

BAC Chairperson



10th floor Greenfield Tower, Mayflower corner Williams Streets, Greenfield District, Mandaluyong City, Metr Manila, Philippines 1550 Tel. (+632)8291-6704 to 08 Email: info@ceza.gov.ph Website: www.ceza.gov.ph Cagayan Offices: Centro, Santa Ana, Cagayan 3514 - Tel. (+6378) 395-4832 / 4828 Regional Government Center, Carig Sur, Tuguegarao City, Cagayan 3500 - Tel. (+6378) 4844 / 4080



ANNEX A REQUEST FOR QUOTATION

TO: CAGAYAN ECONOMIC ZONE AUTHORITY 10/F GREENFIELD TOWER, MAYFLOWER COR		PR No: 2022-04-122 STA	PR Date	: April 07, 2022		
WII MA	LLIAMS S	TREETS, G ONG CITY S 1550	GREENFIELD DISTRICT Y, METRO MANILA,	Please quote your best prices on the and conditions. If the total amour bidder's bond in cash, manager's of thereof.	t is P80, 000 or	more, submit a
the terms st distributor of	ated below. V or dealer of th	We certify that onese items and	y these items at the quoted prices and under our company is a manufacturer, licensed that at least 60% of the capital thereof is y be submitted.	for PHILIP EARL		774 8
b. Delive Purch c. Payme payme d. We sh	ase Order ent within sev ent requirement all pay a pena	ompleted within zen days after d ents alty at 1/10 of	ndays from receipt of Job or lelivery, acceptance and compliance with 1% of the value of the undelivered balance r completion of work.	Supervising Adr		
ITEM NO.	QTY.	UNIT	DESCRIPT		UNIT PRICE	AMOUNT
1	2	Box	• 3.5mm ² THHN/T (150meters/box)			
2	2	Piece	 20 AMPERE TRIP CIRCUIT BREAKERS Bolt on, 60Hz, 230Volts Nema 3r Housing/Enclosure 			
3	2	Pieces	 Fabricated Stand for PAR light 2" Diameter G.I Pipe (Material) 			
4	6	Pieces	 LED PAR LIGHT 54WATTS 54 Watts High Brightness Led SMD Diameter: 225mmxH300mm RGB (Interchangeable Color) Aluminum Alloy Housing + Heat- Treated Glass Lens 10-60 Degrees Light Beam Angle AC 85V-265V 50/60Hz IP 65 (Best for Outdoor) 			
5	10	Pieces	 LED PAR LIGHT SMD 3 36Watts 3600 Lumens High Brightness Led Diameter: 195mm x Light Color: Blue, R Aluminum Alloy Ho Treated Glass Lens 10-60 Degree Light IP 65 (Best for Outd 	d SMD H220mm Red, Green, Yellow ousing + Heat- Beam Angle		
6	18	Pieces	LED SOLAR GARDEN			

			-	AININLA
			 1-3 Watts 90-300 Lumens Polysilicon Solar Cell Led SMD Chips Cool White Body Dimensions: 150mm x 150mm x 600mm Lithium Battery 10-12 Operating Hours 5-6 Hours Charging Aluminum + PC Cover Body Color: Black IP 65 (Outdoor) 	
			1 Year Warranty OUTDOOR STRIP LIGHT COOL WHITE	
7	12	Pieces	 14.4 Watts Per Meter SMD 5050 Light Source Dimensions: 5M x 10MM x 2MM Cool White 120 Degree Beam Angle 12Volts DC Flexible Circuit Board IP 67 (Good for Outdoor) 	
8	5	Pieces	OUTDOOR STRIP LIGHT WARM WHITE SMD 5050 Light Source Dimensions: 5MX10MMX2MM Warm White 120 Degree Beam Angle 12Volts DC Flexible Circuit Board IP 67 (Good for Outdoor)	
9	19	Pieces	 LED WALL WASHER 24WATTS 24 Watts 2000-2400 Lumens High Brightness Led SMD Dimensions: W40 X H48 X L1000MM RGB with Remote Control (Interchangeable Color) 30-60 Degree Beam Angle 220VAC 50/60Hz IP 65 (Good for Outdoor) 	
10	11	Pieces	LED POWER SUPPLY 150WATTS OUTDOOR • Input Voltage AC 85-265V • 50-60Hz • Constant Voltage • Output Voltage DC 12V	

ANNEX A

			 Output Voltage AD. Output Current 7.33 85% Power Factor 	0			
			 85% Power Pactor Over Voltage Protect 	ction 1	15-150%		
			Rated Output Voltag		10 10070		
			Material Aluminum	Case			
11	1	LOT	CONDUITS				
12	1	LOT	MISCELLANEOUS AND	O CON	SUMABLES		
	-	-	nothing fol	lows -			
			Note: Cost must be VAT in	clusiv	e	TOTAL:	
		N A SEALED E BMIT NOT LAT	NVELOPE WITH THE RFQ NUMBER WRITTI TER THAN	EN ON	TOTAL QUOTATION A	AMOUNT	
	date April 12,	2022	тіме 10:00 Am		SIGNATURE		
WHEN YOU OR YOUR REPRESENTATIVE IS REQUESTED TO ATTEND THE OPENING			NAME				
OF ALL QUOTATIONS. THE AUTHORITY RESERVES THE RIGHT TO ACCEPT OR REJECT ANY OR ALL QUOTATIONS AND TO IMPOSE ADDITIONAL TERMS AND CONDITIONS IT MAY DEEM NECESSARY.		POSITION					
BUSINESS NAME / BUSINESS ADDRESS:				PHONE NO. / FAX N	0.		

TECHNICAL SPECIFICATIONS

Bidders/Suppliers must state "Comply" in the column "Statement of "Compliance" against each of the individual parameters of each "Specification". Please do not just place check in the bidder's "Statement of Compliance".

Item	Technical Specifications	STATEMENT OF COMPLIANCE					
	Supply and Delivery of Furniture for CEZA Corporate Center						
I.	 <u>2 Boxes of Copper Wire THHN/THWN</u> 3.5mm^2 THHN/THWN (150meters/box) 						
	2 Pieces of 20 Ampere trip Circuit Breaker						
П.	Bolt on, 60Hz, 230Volts						
	Nema 3r Housing/enclosure						
	2 Pieces of Fabricated Stand for PAR light						
III.	• 2" Diameter G.I Pipe (Material)						
IV.	 <u>6 Pieces of Led Par Light 54watts</u> 54 Watts High Brightness Led SMD Diameter: 225mmxH300mm RGB (Interchangeable Color) Aluminum Alloy Housing + Heat-Treated Glass Lens 10-60 Degrees Light Beam Angle AC 85V-265V 50/60Hz IP 65 (Best for Outdoor) 						
V.	 10 Pieces of Led Par Light Smd 36watts (Par 54) 36Watts 3600 Lumens High Brightness Led SMD Diameter: 195mm x H220mm Light Color: Blue, Red, Green, Yellow Aluminum Alloy Housing + Heat-Treated Glass Lens 10-60 Degree Light Beam Angle IP 65 (Best for Outdoor) 						

	18 Pieces of Led Solar Garden	
	• 1-3 Watts	
	 90-300 Lumens 	
	 Polysilicon Solar Cell 	
	-	
	 Led SMD Chips Cool White 	
VI.	Body Dimensions: 150mm x 150mm x 600mm	
VI.	Lithium Battery 10.12 Operating Hours	
	10-12 Operating Hours 5 Chlours Charging	
	• 5-6 Hours Charging	
	Aluminum + PC Cover	
	Body Color: Black D CF (Outdeest)	
	IP 65 (Outdoor)	
	• 1 Year Warranty	
	12 Pieces of Outdoor Strip Light Cool White	
	• 14.4 Watts Per Meter	
	SMD 5050 Light Source	
	• Dimensions: 5M x 10MM x 2MM	
	Cool White	
VII.	• 120 Degree Beam Angle	
	• 12Volts DC	
	Flexible Circuit Board	
	IP 67 (Good for Outdoor)	
	5 Pieces of Outdoor Strip Light Warm White	
	SMD 5050 Light Source	
	Dimensions: 5MX10MMX2MM	
	Warm White	
VIII.	120 Degree Beam Angle	
	• 12Volts DC	
	Flexible Circuit Board	
	IP 67 (Good for Outdoor)	
	19 Pieces of Led Wall Washer 24watts	
	• 24 Watts	
	• 2000-2400 Lumens	
	High Brightness Led SMD	
IX.	Dimensions: W40 X H48 X L1000MM	
	RGB with Remote Control (Interchangeable Color)	
	• 30-60 Degree Beam Angle	
	• 220VAC 50/60Hz	

ANNEX B

	IP 65 (Good for Outdoor)					
	<u>11 Pieces of Led Power Supply 150watts Outdoor</u>					
	 Input Voltage AC 85-265V 					
	• 50-60Hz					
	Constant Voltage					
	Output Voltage DC 12V					
Х.	 Output Voltage ADJ Range 10% 					
	Output Current 7.33A Max					
	• 85% Power Factor					
	 Over Voltage Protection 115-150% Rated Output Voltage 					
	Material Aluminum Case					
XI.	1 Lot Conduits					
XII.	1 Lot Miscellaneous and Consumables					